ELSEVIER

Brain Research 651 (1994) 357–358

BRAIN RESEARCH

Author Index

Amaro, S., see Monda, M. (651) 148
Arnold, A.P., see Grisham, W. (651) 115

Baba, A., see Mizuguchi, H. (651) 155
Bassirat, M., see Khalil, Z. (651) 227
Batsche, K., see Zeise, M.L. (651) 337
Baumann, T.K., see Martenson, M.E. (651) 143
Beck, P.D. and Kaas, J.H.
Interhemispheric connections in neonatal owl monkeys (*Aotus trivirgatus*) and galagos (*Galago crassicaudatus*) (651) 57
Beninger, R.J., see Ranaldi, R. (651) 283
Betschart, J., see Ravard, S. (651) 199
Blanchard, J.C., see Ravard, S. (651) 199
Butcher, S.P., see Sharkey, J. (651) 27

Cagampang, F.R.A., see Yamazaki, S. (651) 329
Čapek, R., see Jackson, M.F. (651) 85
Carvalho, E., see Kentroti, S. (651) 1
Coon, S.L., see Lin, A.M.-Y. (651) 160
Cusick, C.G., see Gutierrez, C. (651) 300

Delahunty, T.M., see Jiang, J.Y. (651) 123
De Luca, B., see Monda, M. (651) 148
De Luigi, A., see Gemma, C. (651) 169
Dennis, T., see Jackson, M.F. (651) 85
De Simoni, M.G., see Gemma, C. (651) 169
Dudek, S.M. and Johnson, G.V.W.
Transglutaminase facilitates the formation of polymers of the β-amyloid peptide (651) 129

Eddy, A., see Laing, D.G. (651) 317
Elisevich, K., see Rajakumar, N. (651) 332
Endoh, M., Maiese, K. and Wagner, J.
Expression of the inducible form of nitric oxide synthase by reactive astrocytes after transient global ischemia (651) 92
Esplin, B., see Jackson, M.F. (651) 85

Fardin, V., see Ravard, S. (651) 199
Fisher, H., see Myers, C.S. (651) 194
Flamand, O., see Ravard, S. (651) 199
Flumerfelt, B.A., see Rajakumar, N. (651) 332
Francis, G.W., see Laing, D.G. (651) 317
Frelin, C., see Vigne, P. (651) 342
Fujii, A., see Mizuguchi, H. (651) 155

Gebhart, G.F., see Kolhekar, R. (651) 215
Gemma, C., De Luigi, A. and De Simoni, M.G.
Permissive role of glucocorticoids on interleukin-1 activation of the hypothalamic serotonergic system (651) 169
Grisham, W. and Arnold, A.P.
Distribution of GABA-like immunoreactivity in the song system of the zebra finch (651) 115
Gutierrez, C. and Cusick, C.G.
Effects of chronic monocular enucleation on calcium binding proteins calbindin-D_{28k} and parvalbumin in the lateral geniculate nucleus of adult rhesus monkeys (651) 300

Hama, A.T. and Sagen, J.
Alleviation of neuropathic pain symptoms by xenogeneic chromaffin cell grafts in the spinal subarachnoid space (651) 183
Hamm, R.J., see Jiang, J.Y. (651) 123
Hashioka, Y., see Mizuguchi, H. (651) 155
Havton, L.A. and Ohara, P.T.
Cell body and dendritic tree size of intracellularly labeled thalamocortical projection neurons in the ventrobasal complex of cat (651) 76
Hazama, F., see Yamada, E. (651) 108
Helme, R., see Khalil, Z. (651) 227
Heurteaux, C., see Lauritzen, I. (651) 353
Hofman, M.A. and Swaab, D.F.
Alterations in circadian rhythmicity of the vasopressin-producing neurons of the human suprachiasmatic nucleus (SCN) with aging (651) 134
Hwang, B.H., see Kunkler, P.E. (651) 349

Imaki, J., Yoshida, K. and Yamashita, K.
A developmental study of cyclic AMP-response element binding protein (CREB) by in situ hybridization histochemistry and immunocytochemistry in the rat neocortex (651) 269
Ingram, S.L., see Martenson, M.E. (651) 143
Inouye, S.-I.T., see Yamazaki, S. (651) 329
Isberg, P., see Khalil, Z. (651) 227

Jackson, M.F., Dennis, T., Esplin, B. and Čapek, R.
Acute effects of γ-vinyl GABA (vigabatrin) on hippocampal GABAergic inhibition in vitro (651) 85
Janik, D. and Mrosovsky, N.
Intergeniculate leaflet lesions and behaviorally-induced shifts of circadian rhythms (651) 174
Jiang, J.Y., Lyeth, B.G., Delahunty, T.M., Phillips, L.L. and Hamm, R.J.
Muscarinic cholinergic receptor binding in rat brain at 15 days following traumatic brain injury (651) 123
Johnson, G.V.W., see Dudek, S.M. (651) 129
Johnson, R.S., see Paylor, R. (651) 275
Ju, G., see Liu, S. (651) 7

Kaas, J.H., see Beck, P.D. (651) 57
Katsuki, H., see Kawahara, F. (651) 101
Katsura, K.-i., Kristián, T., Nair, R. and Siesjö, B.K.
Regulation of intra- and extracellular pH in the rat brain in acute hypercapnia: a re-appraisal (651) 47
Kawahara, F., Saito, H. and Katsuki, H.
Primary culture of postnatal rat suprachiasmatic neurons in serum-free supplemented medium (651) 101
Kelly, J.S., see Sharkey, J. (651) 27
Kentroti, S., Prasad, K.N., Carvalho, E. and Vernadakis, A.
Differential regulation of phenotypic expression in a pluripotential neuroblastoma cell line (651) 1
Khalil, Z., Sanderson, K., Isberg, P., Bassirat, M., Livett, B. and Helme, R.
$\beta A_4$25–35 modulates substance P effect on rat skin microvasculature in aged rats: pharmacological manipulation using SEC-receptor ligands (651) 227
Klein, D.C., see Lin, A.M.-Y. (651) 160
Kolhekar, R. and Gebhart, G.F.
NMDA and quisqualate modulation of visceral nociception in the rat (651) 215
Kristián, T., see Katsura, K.-i. (651) 47
Kubo, K., see Mizuguchi, H. (651) 155
Kunkler, P.E., Wang, G.-M. and Hwang, B.H.
Galanin-containing neurons in the solitary nucleus and locus coeruleus of spontaneously hypertensive rats are associated with genetic hypertension (651) 349

Laing, D.G., Eddy, A., Francis, G.W. and Stephens, L.
Evidence for the temporal processing of odor mixtures in humans (651) 317
Lauritzen, I., Heurteaux, C. and Lazdunski, M.
Expression of group II phospholipase

A_2in rat brain after severe forebrain ischemia and in endotoxic shock (651) 353
Lazdunski, M., see Lauritzen, I. (651) 353
Lin, A.M.-Y., Schaad, N.C., Schulz, P.E., Coon, S.L. and Klein, D.C.
Pineal nitric oxide synthase: characteristics, adrenergic regulation and function (651) 160
Liu, S. and Ju, G.
Origin of CCK-like immunoreactive nerve fibers in the neurohypophysis of the rat (651) 7
Livett, B., see Khalil, Z. (651) 227
Lovick, T.A., see Schenberg, L.C. (651) 236
Lyeth, B.G., see Jiang, J.Y. (651) 123

Maiese, K., see Endoh, M. (651) 92
Martenson, M.E., Ingram, S.L. and Baumann, T.K.
Potentiation of rabbit trigeminal responses to capsaicin in a low pH environment (651) 143
Marumoto, N., see Murakami, N. (651) 209
Maruyama, M., see Yamazaki, S. (651) 329
Mayumi, T., see Mizuguchi, H. (651) 155
McCullough, L.D., see Sokolowski, J.D. (651) 293
Mito, T., see Ozawa, H. (651) 345
Mizuguchi, H., Hashioka, Y., Fujii, A., Utoguchi, N., Kubo, K., Nakagawa, S., Baba, A. and Mayumi, T.
Glial extracellular matrix modulates γ-glutamyl transpeptidase activity in cultured bovine brain capillary and bovine aortic endothelial cells (651) 155
Monda, M., Amaro, S. and De Luca, B.
Non-shivering thermogenesis during prostaglandin E_1 fever in rats: role of the cerebral cortex (651) 148
Morris, M., see Sim, L.J. (651) 311
Mrosovsky, N., see Janik, D. (651) 174
Murakami, N., Nakamura, H., Nishi, R., Marumoto, N. and Nasu, T.
Comparison of circadian oscillation of melatonin release in pineal cells of house sparrow, pigeon and Japanese quail, using cell perfusion systems (651) 209
Murtha, S.J.E. and Pappas, B.A.
Neurochemical, histopathological and mnemonic effects of combined lesions of the medial septal and serotonin afferents to the hippocampus (651) 16
Myers, C.S., Fisher, H. and Wagner, G.C.
Uridine potentiates haloperidol's disruption of conditioned avoidance responding (651) 194

Nair, R., see Katsura, K.-i. (651) 47
Nakagawa, S., see Mizuguchi, H. (651) 155
Nakamura, H., see Murakami, N. (651) 209
Nasu, T., see Murakami, N. (651) 209
Nishi, R., see Murakami, N. (651) 209
Nishida, A., see Ozawa, H. (651) 345
Ohara, P.T., see Havton, L.A. (651) 76
Ozawa, H., Nishida, A., Mito, T. and Takashima, S.
Immunohistochemical study of ferritin-positive cells in the cerebellar cortex with subarachnoidal hemorrhage in neonates (651) 345

Papaioannou, V., see Paylor, R. (651) 275
Pappas, B.A., see Murtha, S.J.E. (651) 16
Paylor, R., Johnson, R.S., Papaioannou, V., Spiegelman, B.M. and Wehner, J.M.
Behavioral assessment of c-*fos* mutant mice (651) 275
Pettit, A.J., see Pettit, H.O. (651) 261
Pettit, H.O. and Pettit, A.J.
Disposition of cocaine in blood and brain after a single pretreatment (651) 261
Phillips, L.L., see Jiang, J.Y. (651) 123
Post, R.M., see Rosen, J.B. (651) 252
Prasad, K.N., see Kentroti, S. (651) 1

Rajakumar, N., Elisevich, K. and Flumerfelt, B.A.
The pallidostriatal projection in the rat: a recurrent inhibitory loop? (651) 332
Ranaldi, R. and Beninger, R.J.
The effects of systemic and intracerebral injections of D_1 and D_2 agonists on brain stimulation reward (651) 283
Ravard, S., Betschart, J., Fardin, V., Flamand, O. and Blanchard, J.C.
Differential ability of tachykinin NK-1 and NK-2 agonists to produce scratching and grooming behaviours in mice (651) 199
Ritchie, I.M., see Sharkey, J. (651) 27
Rosen, J.B., Weiss, S.R.B. and Post, R.M.
Contingent tolerance to carbamazepine: alterations in TRH mRNA and TRH receptor binding in limbic structures (651) 252
Rusak, B., see Ying, S.-W. (651) 37
Ryan, L.J. and Sanders, D.J.
Neostriatal modulation of motor cortex excitability (651) 241

Sagen, J., see Hama, A.T. (651) 183
Saito, H., see Kawahara, F. (651) 101
Salamone, J.D., see Sokolowski, J.D. (651) 293
Sanders, D.J., see Ryan, L.J. (651) 241
Sanderson, K., see Khalil, Z. (651) 227
Schaad, N.C., see Lin, A.M.-Y. (651) 160
Schenberg, L.C. and Lovick, T.A.
Neurones in the medullary raphe nuclei attenuate the cardiovascular responses evoked from the dorsolateral periaqueductal grey matter (651) 236
Schulz, P.E., see Lin, A.M.-Y. (651) 160
Selley, D.E., see Sim, L.J. (651) 311
Sharkey, J., Ritchie, I.M., Butcher, S.P. and Kelly, J.S.
Differential effects of competitive (CGS19755) and non-competitive (MK 801) NMDA receptor antagonists upon local cerebral blood flow and local cerebral glucose utilisation in the rat (651) 27
Siesjö, B.K., see Katsura, K.-i. (651) 47
Sim, L.J., Selley, D.E., Tsai, K.P. and Morris, M.
D_2 inhibition of stimulated Fos immunoreactivity in cultured tyrosine hydroxylase-ir hypothalamic neurons (651) 311
Sokolowski, J.D., McCullough, L.D. and Salamone, J.D.
Effects of dopamine depletions in the medial prefrontal cortex on active avoidance and escape in the rat (651) 293
Spiegelman, B.M., see Paylor, R. (651) 275
Stephens, L., see Laing, D.G. (651) 317
Swaab, D.F., see Hofman, M.A. (651) 134

Takashima, S., see Ozawa, H. (651) 345
Tsai, K.P., see Sim, L.J. (651) 311

Utoguchi, N., see Mizuguchi, H. (651) 155

Vernadakis, A., see Kentroti, S. (651) 1
Vigne, P. and Frelin, C.
Endothelins activate phospholipase A_2 in brain capillary endothelial cells (651) 342

Wagner, G.C., see Myers, C.S. (651) 194
Wagner, J., see Endoh, M. (651) 92
Wang, G.-M., see Kunkler, P.E. (651) 349
Wang, R.Y., see Zeise, M.L. (651) 337
Wehner, J.M., see Paylor, R. (651) 275
Weiss, S.R.B., see Rosen, J.B. (651) 252

Yamada, E. and Hazama, F.
Decreased immunoreactivity of platelet-derived growth factor B chain-like peptide after axotomy in the dorsal motor nucleus of the vagus nerve (651) 108
Yamashita, K., see Imaki, J. (651) 269
Yamazaki, S., Maruyama, M., Cagampang, F.R.A. and Inouye, S.-I.T.
Circadian fluctuations of cAMP content in the suprachiasmatic nucleus and the anterior hypothalamus of the rat (651) 329
Ying, S.-W. and Rusak, B.
Effects of serotonergic agonists on firing rates of photically responsive cells in the hamster suprachiasmatic nucleus (651) 37
Yoshida, K., see Imaki, J. (651) 269

Zeise, M.L., Batsche, K. and Wang, R.Y.
The 5-HT_3 receptor agonist 2-methyl-5-HT reduces postsynaptic potentials in rat CA1 pyramidal neurons of the hippocampus in vitro (651) 337